CITIZEN

The new dimension in desktop label printing

Half size, half price



Proven technology

The Citizen CL-S6621 combines the advantages of the well-proven metal Hi-Lift™ mechanism for easy ribbon and media loading with the benefits of an industrial twin-wall ABS housing.

Compact design

The compact design of the Citizen CL-S6621 makes it the smallest 6 inch printer in the market and the ideal choice for all environments where space is premium.

Easy operation and media change

Media and ribbons can easily be changed thanks to the Hi-Open™ housing.

TOMORROW'S PRINTING TODAY

Citizen Systems Europe GmbH, Waterfront, Lotus Park, Staines-Upon-Thames, TW18 3AG, United Kingdom, +44 20 8893 1900

CL-S6621

Label, Wide Format (6-inch)

Applications

- Courier
- Logistic / Transport
- Manufacturing
- Warehousing

The new dimension in 6 inch printing

CITIZEN SYSTEMS EUROPE GMBH

CITIZEN



CL-S6621

Label, Wide Format (6-inch)

The CL-S6621 features an internal mains power supply which reduces the footprint and avoids cabling issues. At the same time it adds weight and stability to the printer.

Specifications

Model	CL-S6621
Printing Technology	Thermal Transfer + Direct Thermal
Resolution	203 dpi, 300 dpi
Print Speed (maximum)	6 inches per second (150 mm/s)
Print Width (maximum)	6 inches (168 mm)
Media Width (min to max)	2 to 7 inches (50 to 178 mm)
Roll Size (max), Core Size	Inside diameter 5 inches (125 mm) Core size 1 to 3 inches (25.4 to 76 mm)
Media Thickness (min to max)	63.5 to 254 µm
Media Length (min to max)	0.25 to 32 inches (6.35 to 812.8 mm)
Media Sensor	Fully adjustable gap, notch, reflective black mark and media low
Main Interface	Dual Interface Serial (RS-232C), USB (version 2.0, full speed)
Optional interfaces	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)
Ribbon size	2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core
Ribbon winding & type	Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type
Ribbon system	ARCP™ automatic ribbon tension adjustment
Mechanism	Hi-Lift™ metal mechanism with wide opening head
Control panel	4 buttons and 4 LEDs
Emulations (Languages)	Cross-Emulation™ - autoswitch between Zebra® and Datamax® emulations, Zebra® ZPL2® , CBI™ BASIC Interpreter, Datamax® DMX
Drivers and software	Free-of-charge from website, including support for various platforms
Flash (Non-Volatile Memory)	8 MB total, 1 MB available for user
Size (W x D x H) and Weight	303 x 290 x 273 mm, 7.9 Kgs

Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Media support: Large media capacity - holds rolls up to 4.9 inches (125 mm)
- Ribbon options: Wide range of ribbon options - Uses up to 360 metres inside and outside wound ribbons
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- Small footprint
- Recyclable packacking
- Basic peeler

Citizen Systems Europe GmbH, Waterfront, Lotus Park, Staines-Upon-Thames, TW18 3AG, United Kingdom, +44 20 8893 1900

CITIZEN SYSTEMS EUROPE GMBH

CITIZEN

CL-S6621

Label, Wide Format (6-inch)

Model	CL-S6621
Cutter	Guillotine type, Dealer Installable
Warranty	2 years on printer. 6 months or 50 Kms printhead

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

Citizen Systems Europe GmbH, Waterfront, Lotus Park, Staines-Upon-Thames, TW18 3AG, United Kingdom, +44 20 8893 1900

CITIZEN SYSTEMS EUROPE GMBH